



Boat Information & Test Data



Boat Mfg	SeaArk Boats		
Model	Proguide		
Material	ALUMINUM		
Length	26'		
Beam/Width	7' 10"		
Weight	2000 lbs		
Max HP	300 hp		
Fuel Capacity	59 GAL.		
Transom Height	25"		
Steering	Hydraulic		
Jack Plate	n/a		
Additional options			
Additional options			
0 to (15) (20) (30) _{MPH}	6.33	6.55	6.43
	Average-Second's		6.44

Date	9/2
Location	Table Rock
Lake/River/Coastal	La
Conditions	Light
Wind	5 - 10
Temperature	68 de
Fuel Load	59
Boat Load	2 adul
	all safe
Engine Model	DF30
Prop type <small>(3 or 4 blade)</small>	3 Bl
Diameter/Pitch	16"
Material <small>(AL or SS)</small>	S
Engine Height	2nd

Pass 1		
RPM	MPH	GPH
Idle	3.8	0.5
1000	5.1	1.0
1500	7.5	2.1
2000	10.5	2.8
2500	18.3	4.5
3000	25.1	5.5
3500	30.1	7.1
4000	35.4	9.8
4500	39.5	13.3
5000	43.5	16.4
5500	47.2	21.5
5850	49.2	25.3

Average	
MPH	GPH
3.7	0.5
5.2	1.0
7.6	2.1
10.8	2.8
18.2	4.3
25.0	5.4
30.3	7.2
35.3	9.5
39.6	13.4
43.7	16.4
47.7	21.4
49.7	25.3

Pass 2	
RPM	MPH
Idle	3.6
1000	5.2
1500	7.7
2000	11.1
2500	18.1
3000	24.9
3500	30.5
4000	35.1
4500	39.6
5000	43.8
5500	48.1
5850	50.2

Livewell full @ time boat was tested(110 Gallons)

9/22
k Lake, MO.
ike
chop
) mph
degrees
gal
ts with
ty gear
IOAPX
lade
X 20'
S
hole

GPH
0.5
1.0
2.0
2.8
4.1
5.3
7.2
9.2
13.4
16.4
21.2
25.2
